

Atlas Tube Corp. Kansas City
 Burlington St
 North Kansas City Missouri USA
 64116
 Tel:
 Fax:



REF.B/L: 81158954
 Date: 06/13/2023
 Customer: 1592

MATERIAL TEST REPORT

Shipped To
 Superior Supply and Steel
 318 North Cities Service Hwy
 SULPHUR LA 70663
 USA

Sold To
 Superior Supply and Steel
 PO Box 2388
 SULPHUR LA 70664
 USA

Material: 4.0x4.0x250x20'0"(5x4) **Material No:** 400402502000 **Made in:** USA
Sales Order: 1922425 **Purchase Order:** P0242031-01 **Melted and Poured in:** USA

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23062592	0.060	0.830	0.006	0.003	0.020	0.034	0.080	0.002	0.014	0.040	0.030	0.003	0.001	0.0002	0.0086	0.0023

Bundle No Z200002258 **PCS** 20 **Yield** 065400 Psi **Tensile** 071000 Psi **EIn.2in** 29% **Method** EAF **Recycled Content** 76.00% **Post Consumer** 95.00% **Pre-Consumer** 5.00% **CE: 0.22**

Heat Z200002340 **MILL** BIGRIVER **Mill Location** OSCEOLA,AR **Method** EAF **Recycled Content** 76.00% **Post Consumer** 95.00% **Pre-Consumer** 5.00% **CE: 0.22**

Material Note:
Sales Or. Note:

Material: 4.0x4.0x375x20'0"(5x4) **Material No:** 400403752000 **Made in:** USA
Sales Order: 1922414 **Purchase Order:** P0242031-01 **Melted and Poured in:** USA

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
23035822	0.060	0.830	0.010	0.003	0.030	0.031	0.080	0.003	0.013	0.040	0.040	0.004	0.001	0.0071	0.0071	0.0019

Bundle No Z200002340 **PCS** 13 **Yield** 064600 Psi **Tensile** 069200 Psi **EIn.2in** 31% **Method** EAF **Recycled Content** 76.00% **Post Consumer** 95.00% **Pre-Consumer** 5.00% **CE: 0.22**

Heat Z200002340 **MILL** BIGRIVER **Mill Location** OSCEOLA,AR **Method** EAF **Recycled Content** 76.00% **Post Consumer** 95.00% **Pre-Consumer** 5.00% **CE: 0.22**

Material Note:
Sales Or. Note:

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1

