

Atlas Tube Arkansas  
 6651 E Hwy 137  
 Blytheville Arkansas USA  
 72315  
 Tel:  
 Fax:



REF./L: 81242455  
 Date: 08/30/2024  
 Customer: 1746

Sold To

**MATERIAL TEST REPORT**

Shipped To

<b>Material:</b> 4.0x3.0x313x40"0(5x3).		<b>Material No:</b> 400303134000		<b>Made in:</b> USA												
<b>Sales Order:</b> 2088247		<b>Purchase Order:</b> SSW144730		<b>Melted and Poured in:</b> USA												
<b>Heat No</b>	<b>C</b>	<b>Mn</b>	<b>P</b>	<b>S</b>	<b>Si</b>	<b>Al</b>	<b>Cu</b>	<b>Cb</b>	<b>Mo</b>	<b>Ni</b>	<b>Cr</b>	<b>V</b>	<b>Ti</b>	<b>B</b>	<b>N</b>	<b>Ca</b>
24099452	0.210	0.770	0.013	0.003	0.030	0.032	0.090	0.001	0.012	0.040	0.050	0.003	0.001	0.0002	0.0065	0.0029
<b>Bundle No</b>	<b>PCs</b>	<b>Yield</b>	<b>Tensile</b>	<b>Eln.2In</b>	<b>Certification</b>						<b>CE: 0.37</b>					
M400256079	15	070127 Psi	082771 Psi	34 %	ASTM A500-23 GRADE B&C											
<b>Heat</b>	<b>MILL</b>	<b>Mill Location</b>		<b>Method</b>	<b>Recycled Content</b>	<b>Post Consumer</b>	<b>Pre-Consumer (Post Industrial)</b>	<b>% Harvested</b>	<b>Within Miles of Location</b>							
24099452	BIGRIVER	Osceola,AR		EAF	76.00%	95.00%	5.00 %	75%	500							
<b>Material Note:</b>																
<b>Sales Or. Note:</b>																

<b>Material:</b> 10.0x6.0x500x40"0(2x2).		<b>Material No:</b> 1000605004000		<b>Made in:</b> USA												
<b>Sales Order:</b> 2086015		<b>Purchase Order:</b> SSW144730		<b>Melted and Poured in:</b> USA												
<b>Heat No</b>	<b>C</b>	<b>Mn</b>	<b>P</b>	<b>S</b>	<b>Si</b>	<b>Al</b>	<b>Cu</b>	<b>Cb</b>	<b>Mo</b>	<b>Ni</b>	<b>Cr</b>	<b>V</b>	<b>Ti</b>	<b>B</b>	<b>N</b>	<b>Ca</b>
24111281	0.210	0.740	0.009	0.004	0.030	0.029	0.090	0.001	0.012	0.040	0.050	0.002	0.000	0.0001	0.0066	0.0021
<b>Bundle No</b>	<b>PCs</b>	<b>Yield</b>	<b>Tensile</b>	<b>Eln.2In</b>	<b>Certification</b>						<b>CE: 0.36</b>					
M500527934	1	065611 Psi	077521 Psi	34 %	ASTM A500-23 GRADE B&C											
<b>Heat</b>	<b>MILL</b>	<b>Mill Location</b>		<b>Method</b>	<b>Recycled Content</b>	<b>Post Consumer</b>	<b>Pre-Consumer (Post Industrial)</b>	<b>% Harvested</b>	<b>Within Miles of Location</b>							
24111281	BIGRIVER	Osceola,AR		EAF	76.00%	95.00%	5.00 %	75%	500							
<b>Material Note:</b>																
<b>Sales Or. Note:</b>																

Authorized by Quality Assurance *Jason Richard*  
**Jason Richard**

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1. Any tubular steel product noted as "Made in USA" and "Melted and Poured in USA" meets the Build America, Buy America Act.



Atlas Tube Arkansas  
 6651 E Hwy 137  
 Blytheville Arkansas USA  
 72315  
 Tel:  
 Fax:



REF./L: 81242455  
 Date: 08/30/2024  
 Customer: 1746

Sold To

**MATERIAL TEST REPORT**

Shipped To

<b>Material:</b> 10.0x6.0x500x40"0(2x2).	<b>Material No:</b> 1000605004000	<b>Made In:</b> USA
<b>Sales Order:</b> 2086015	<b>Purchase Order:</b> SSW144730	<b>Melted and Poured In:</b> USA
<b>Heat No</b> C Mn P S Si Al Cu Cb Mo Ni Cr V Ti B N Ca		
24111301 0.210 0.780 0.010 0.005 0.030 0.031 0.090 0.002 0.013 0.040 0.050 0.003 0.001 0.0001 0.0064 0.0024		
<b>Bundle No</b> M500527934	<b>PCs</b> 3	<b>Yield</b> 066154 Psi
<b>Tensile</b> 079605 Psi	<b>Elon.2In</b> 34 %	<b>Certification</b> ASTM A500-23 GRADE B&C
<b>Heat</b> 24111301	<b>MILL</b> BIGRIVER	<b>MILL Location</b> Osceola,AR
<b>Method</b> EAF	<b>Recycled Content</b> 76.00%	<b>Post Consumer</b> 95.00%
<b>Pre-Consumer (Post Industrial)</b> 5.00 %	<b>% Harvested</b> 75%	<b>Within Miles of Location</b> 500
<b>Material Note:</b>		
<b>Sales Or. Note:</b>		

<b>Material:</b> 16.0x8.0x313x48"0(1x3).	<b>Material No:</b> 1600803134800	<b>Made In:</b> USA
<b>Sales Order:</b> 2088765	<b>Purchase Order:</b> SSW144730	<b>Melted and Poured In:</b> USA
<b>Heat No</b> C Mn P S Si Al Cu Cb Mo Ni Cr V Ti B N Ca		
24024792 0.210 0.750 0.007 0.004 0.020 0.033 0.100 0.001 0.014 0.070 0.040 0.003 0.001 0.0002 0.0067 0.0025		
<b>Bundle No</b> MJ00091785	<b>PCs</b> 3	<b>Yield</b> 060681 Psi
<b>Tensile</b> 081530 Psi	<b>Elon.2In</b> 27.0 %	<b>Certification</b> ASTM A500-23 GRADE B&C
<b>Heat</b> 24024792	<b>MILL</b> BIGRIVER	<b>MILL Location</b> Osceola,AR
<b>Method</b> EAF	<b>Recycled Content</b> 76.00%	<b>Post Consumer</b> 95.00%
<b>Pre-Consumer (Post Industrial)</b> 5.00 %	<b>% Harvested</b> 75%	<b>Within Miles of Location</b> 500
<b>Material Note:</b>		
<b>Sales Or. Note:</b>		

Authorized by Quality Assurance *Jason Richard*  
 Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1. Any tubular steel product noted as "Made in USA" and "Melted and Poured in USA" meets the Build America, Buy America Act.



Atlas Tube Arkansas  
 6651 E Hwy 137  
 Blytheville Arkansas USA  
 72315  
 Tel:  
 Fax:



REF./L: 81242455  
 Date: 08/30/2024  
 Customer: 1746

Sold To

**MATERIAL TEST REPORT**

Shipped To

<b>Material:</b>	16.0x8.0x313x48"0(1x3).											<b>Material No:</b>	1600803134800			<b>Made in:</b>	USA	
<b>Sales Order:</b>	2088765											<b>Purchase Order:</b>	SSW144730			<b>Melted and Poured in:</b>	USA	
<b>Heat No</b>	<b>C</b>	<b>Mn</b>	<b>P</b>	<b>S</b>	<b>Si</b>	<b>Al</b>	<b>Cu</b>	<b>Cb</b>	<b>Mo</b>	<b>Ni</b>	<b>Cr</b>	<b>V</b>	<b>Ti</b>	<b>B</b>	<b>N</b>	<b>Ca</b>		
24065462	0.200	0.750	0.008	0.001	0.040	0.033	0.070	0.002	0.016	0.030	0.050	0.004	0.001	0.0001	0.0069	0.0020		
<b>Bundle No</b>	<b>PCs</b>	<b>Yield</b>	<b>Tensile</b>	<b>Eln.2in</b>	<b>Certification</b>							<b>CE: 0.35</b>						
MJ00082580	3	058414 Psi	084171 Psi	29.3 %	ASTM A500-23 GRADE B&C													
<b>Heat</b>	<b>MILL</b>	<b>MILL Location</b>	<b>Method</b>	<b>Recycled Content</b>	<b>Post Consumer</b>	<b>Pre-Consumer (Post Industrial)</b>	<b>% Harvested</b>	<b>Within Miles of Location</b>										
24065462	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500										
<b>Material Note:</b>																		
<b>Sales Or. Note:</b>																		

<b>Material:</b>	14.0x10.0x625x48"0(1x2).											<b>Material No:</b>	1401006254800-2			<b>Made in:</b>	USA	
<b>Sales Order:</b>	2088765											<b>Purchase Order:</b>	SSW144730			<b>Melted and Poured in:</b>	USA	
<b>Heat No</b>	<b>C</b>	<b>Mn</b>	<b>P</b>	<b>S</b>	<b>Si</b>	<b>Al</b>	<b>Cu</b>	<b>Cb</b>	<b>Mo</b>	<b>Ni</b>	<b>Cr</b>	<b>V</b>	<b>Ti</b>	<b>B</b>	<b>N</b>	<b>Ca</b>		
24116671	0.050	0.870	0.009	0.002	0.030	0.028	0.080	0.019	0.010	0.040	0.050	0.004	0.001	0.0001	0.0070	0.0022		
<b>Bundle No</b>	<b>PCs</b>	<b>Yield</b>	<b>Tensile</b>	<b>Eln.2in</b>	<b>Certification</b>							<b>CE: 0.22</b>						
MJ00097357	2	064538 Psi	072076 Psi	36.5 %	ASTM A500-23 GRADE B&C													
<b>Heat</b>	<b>MILL</b>	<b>MILL Location</b>	<b>Method</b>	<b>Recycled Content</b>	<b>Post Consumer</b>	<b>Pre-Consumer (Post Industrial)</b>	<b>% Harvested</b>	<b>Within Miles of Location</b>										
24116671	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500										
<b>Material Note:</b>																		
<b>Sales Or. Note:</b>																		

Authorized by Quality Assurance *Jason Richard*  
**Jason Richard**

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type 3.1. Any tubular steel product noted as "Made in USA" and "Melted and Poured in USA" meets the Build America, Buy America Act.



Atlas Tube Arkansas  
 6651 E Hwy 137  
 Blytheville Arkansas USA  
 72315  
 Tel:  
 Fax:



REF.B/L: 81242455  
 Date: 08/30/2024  
 Customer: 1746

Sold To

**MATERIAL TEST REPORT**

Shipped To

<b>Material:</b>	14.0x10.0x625x48"0(1x2).											<b>Material No:</b>	1401006254800-2		<b>Made In:</b>	USA	
<b>Sales Order:</b>	2088765											<b>Purchase Order:</b>	SSW144730		<b>Melted and Poured In:</b>	USA	
<b>Heat No</b>	<b>C</b>	<b>Mn</b>	<b>P</b>	<b>S</b>	<b>SI</b>	<b>Al</b>	<b>Cu</b>	<b>Cb</b>	<b>Mo</b>	<b>Ni</b>	<b>Cr</b>	<b>V</b>	<b>Ti</b>	<b>B</b>	<b>N</b>	<b>Ca</b>	
24116671	0.050	0.870	0.009	0.002	0.030	0.028	0.080	0.019	0.010	0.040	0.050	0.004	0.001	0.0001	0.0070	0.0022	
<b>Bundle No</b>	<b>PCs</b>	<b>Yield</b>	<b>Tensile</b>	<b>Eln.2in</b>	<b>Certification</b>												
MJ00097359	2	064538 Psi	072076 Psi	36.5 %	ASTM A500-23 GRADE B&C												
<b>Heat</b>	<b>MILL</b>	<b>Mill Location</b>	<b>Method</b>	<b>Recycled Content</b>	<b>Post Consumer</b>	<b>Pre-Consumer (Post Industrial)</b>	<b>% Harvested</b>	<b>Within Miles of Location</b>									
24116671	BIGRIVER	Osceola,AR	EAF	76.00%	95.00%	5.00 %	75%	500									
<b>Material Note:</b>																	
<b>Sales Or. Note:</b>																	

Authorized by Quality Assurance: *Jason Richard*  
 Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type 3.1. Any tubular steel product noted as "Made in USA" and "Melted and Poured in USA" meets the Build America, Buy America Act.

