

Atlas Tube Corp. Kansas City  
 Burlington St  
 North Kansas City Missouri USA  
 64116  
 Tel:  
 Fax:



REF.B/L: 81231982  
 Date: 07/11/2024  
 Customer: 1592

**Sold To**  
 Superior Supply and Steel  
 PO Box 2388  
 SULPHUR LA 70664  
 USA

**Shipped To**  
 Superior Supply and Steel  
 318 North Cities Service Hwy  
 SULPHUR LA 70663  
 USA

**MATERIAL TEST REPORT**

Material: 3.0X3.0X188X20"0"(7x6).

Material No: 300301882000

Made in: USA  
 Melted and Poured in: USA

Sales Order: 2065437

Purchase Order: PO249913-01

Heat No	C	Mn	P	S	SI	AI	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
R83583C24	0.180	0.750	0.010	0.008	0.014	0.044	0.040	0.000	0.010	0.040	0.050	0.000	0.002	0.0002	0.0030	0.0010

Bundle No	PCs	Yield	Tensile	Eln.2in	Certification	CE: 0.32
Z100020381	42	058557 Psi	071207 Psi	31.0 %	ASTM A500-23 GRADE B&C	

Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location
R83583C24	USSTEEL	GRANITE CITY,IL	BOF	36.90%	19.80%	14.40%	100%	500

Material Note:

Sales Or. Note: Material: 3.0X3.0X188X20"0"(7x6). Material No: 300301882000 Made in: USA  
 Melted and Poured in: USA

Heat No	C	Mn	P	S	SI	AI	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
R83583C24	0.180	0.750	0.010	0.008	0.014	0.044	0.040	0.000	0.010	0.040	0.050	0.000	0.002	0.0002	0.0030	0.0010

Bundle No	PCs	Yield	Tensile	Eln.2in	Certification	CE: 0.32
Z100020382	42	058557 Psi	071207 Psi	31.0 %	ASTM A500-23 GRADE B&C	

Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location
R83583C24	USSTEEL	GRANITE CITY,IL	BOF	36.90%	19.80%	14.40%	100%	500

Material Note:

Sales Or. Note:

Authorized by Quality Assurance *Jason Richard*  
**Jason Richard**

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. Steel is purchased fully killed with a fine grain practice. This document is in compliance with the requirements of EN10204 type3.1

