

Atlas Tube Alabama
 171 Cleage Dr
 Birmingham Alabama USA
 35217
 Tel:
 Fax:



REF.B/L: 81124385
 Date: 11/29/2022
 Customer: 1592

MATERIAL TEST REPORT

Sold To
 Superior Supply and Steel
 PO Box 2388
 SULPHUR LA 70664
 USA

Shipped To
 Superior Supply and Steel
 318 North Cities Service Hwy
 SULPHUR LA 70663
 USA

Material: 2.0x2.0x250x20"0(6x6).

Material No: 0200202502000-B

Made in: USA
Melted and Poured in: USA

Sales Order: 1846743

Purchase Order: P0237042-11

Cust Material#: 982024310

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
SM6040	0.190	0.390	0.005	0.002	0.033	0.033	0.120	0.000	0.010	0.040	0.040	0.002	0.001	0.000	0.0060	0.0030
Bundle No	PCs	Yield	Tensile	Eln.2in	Certification											
MC00193375	36	066375 Psi	073684 Psi	28.5 %	ASTM A500-21 GRADE B&C											
Heat	MILL	Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
SM6040	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500								

Material Note:

Sales Or. Note:

Material: 3.0x2.0x188x20"0(5x7).

Material No: 0300201882000-B

Made in: USA
Melted and Poured in: USA

Sales Order: 1844559

Purchase Order: P0237042-11

Cust Material#: 982024523

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
NM5704	0.190	0.360	0.008	0.002	0.031	0.034	0.120	0.000	0.010	0.040	0.060	0.001	0.002	0.000	0.0080	0.0010
Bundle No	PCs	Yield	Tensile	Eln.2in	Certification											
MC00192406	35	065594 Psi	071470 Psi	29.8 %	ASTM A500-21 GRADE B&C											
Heat	MILL	Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
NM5704	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500								

Material Note:

Sales Or. Note:

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. This document is in compliance with the requirements of EN 10204 type 3.1

