

Atlas Tube Alabama
 171 Cleage Dr
 Birmingham Alabama USA
 35217
 Tel:
 Fax:



REF.B/L: 81139491
 Date: 02/28/2023
 Customer: 1592

MATERIAL TEST REPORT

Sold To

Superior Supply and Steel
 PO Box 2388
 SULPHUR LA 70664
 USA

Shipped To

Superior Supply and Steel
 318 North Cities Service Hwy
 SULPHUR LA 70663
 USA

Material:	2.0x2.0x250x20'0"(6x6).											Material No:	0200202502000-B			Made in:	USA		
Sales Order:	1883167											Purchase Order:	P0239523-11			Melted and Poured in:	USA		
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca			
SN1072	0.200	0.390	0.008	0.001	0.039	0.034	0.120	0.000	0.010	0.040	0.050	0.002	0.002	0.0000	0.0060	0.0020			
Bundle No	PCs	Yield	Tensile	Fln.2in	Certification							CE: 0.29							
MC00201231	36	069384 Psi	080476 Psi	27.6 %	ASTM A500-21 GRADE B&C														
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location											
SN1072	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500											

Material Note:

Sales Or. Note:

Material:	2.0x2.0x250x20'0"(6x6).											Material No:	0200202502000-B			Made in:	USA		
Sales Order:	1873235											Purchase Order:	P0238513-11			Melted and Poured in:	USA		
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca			
SN1072	0.200	0.390	0.008	0.001	0.039	0.034	0.120	0.000	0.010	0.040	0.050	0.002	0.002	0.0000	0.0060	0.0020			
Bundle No	PCs	Yield	Tensile	Fln.2in	Certification							CE: 0.29							
MC00201230	36	069384 Psi	080476 Psi	27.6 %	ASTM A500-21 GRADE B&C														
Heat	MILL	Mill Location	Method	Recycled Content	Post Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location											
SN1072	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500											

Material Note:

Sales Or. Note:

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. This document is in compliance with the requirements of EN 10204 type 3.1

