

Atlas Tube Alabama
 171 Cleage Dr
 Birmingham Alabama USA
 35217
 Tel:
 Fax:



REF.B/L: 81081267
 Date: 04/07/2022
 Customer: 1592

Material:	1.0x1.0x120x20'0"0(10x10).A513										Material No:	0100101202000-A513				Made in:	USA	
Sales Order:	1753962										Purchase Order:	PO231721-11				Melted and Poured in:	USA	
											Cust Material#:	982024079						
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca		
SM0592	0.060	0.380	0.007	0.004	0.026	0.032	0.120	0.000	0.010	0.030	0.050	0.003	0.001	0.0000	0.0060	0.0020		
Bundle No	PCs	Yield	Tensile	Elon.2in	Certification										CE: 0.15			
MC00171151	100	000000 Psi	000000 Psi	%	ASTM A513, TYPE 1													
Heat	MILL	Mill Location			Method	Recycled_Content	Post_Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
SM0592	NUCOR	Decatur,AL			EAF	53.70%	23.80%	29.90%	86%	500								
Material Note:																		
Sales Or. Note:																		

Material:	1.0x1.0x120x20'0"0(10x10)RTA513										Material No:	0100101202000-BR				Made in:	USA	
Sales Order:	1758669										Purchase Order:	PO231308-11				Melted and Poured in:	USA	
Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca		
SM1024	0.060	0.390	0.006	0.002	0.022	0.035	0.120	0.000	0.010	0.030	0.040	0.002	0.001	0.0000	0.0070	0.0020		
Bundle No	PCs	Yield	Tensile	Elon.2in	Certification										CE: 0.15			
0003540354	100	000000 Psi	000000 Psi	%	ASTM A513, TYPE 1													
Heat	MILL	Mill Location			Method	Recycled_Content	Post_Consumer	Pre-Consumer (Post Industrial)	% Harvested	Within Miles of Location								
SM1024	NUCOR	Decatur,AL			EAF	53.70%	23.80%	29.90%	86%	500								
Material Note:																		
Sales Or. Note:																		

Authorized by Quality Assurance *Jason Richard*
Jason Richard

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. This document is in compliance with the requirements of EN 10204 type 3.1

