



CMC STEEL TEXAS
1 STEEL MILL DRIVE
SEGUN TX 78155-7510

CERTIFIED MILL TEST REPORT
For additional copies call
800-227-6489

We hereby certify that the test results presented here
are accurate and conform to the reported grade specification

Quality Assurance Manager

Rolando A Davila
Rolando A Davila

1 SERIES-BPS[®]

HEAT NO.: 1082180
SECTION: CHANNEL 6"x8.2# 20'0"
A36/572T1
GRADE: ASTM A36-19/A572-18 Gr 50 Tp1
ROLL DATE: 09/20/2022
MELT DATE: 09/02/2022
Cert. No.: 85298719 / 082180A829

S Superior Supply & Steel Co
O 318 N Cities Service Hwy
L Sulphur LA
D US 70663-5424
T 3376252300
O 3376258509

S Superior Supply & Steel Co
H 318 N Cities Service Hwy
I Sulphur LA
P US 70663-5424
T 3376252300
O 3376258509

Delivery#: 85298719
BOL#: 75176499
CUST PO#: P0238772-11
CUST P/N:
DLVRY LBS / HEAT: 5412.000 LB
DLVRY PCS / HEAT: 33 EA

Characteristic	Value	Characteristic	Value	Characteristic	Value
C	0.11%	Elongation Gage Lgth test 1	8IN		
Mn	0.88%	Yield to tensile ratio test1	0.77		
P	0.015%	Yield Strength test 2	56.1ksi		
S	0.033%	Tensile Strength test 2	72.0ksi		
Si	0.19%	Elongation test 2	23%		
Cu	0.34%	Elongation Gage Lgth test 2	8IN		
Cr	0.14%	Yield to tensile ratio test2	0.78		
Ni	0.12%				
Mo	0.046%				
V	0.005%				
Cb	0.009%				
Sn	0.012%				
B	0.0003%				
Ti	0.001%				
N	0.0069%				
Carbon Eq A6	0.33%				
Yield Strength test 1	56.7ksi				
Tensile Strength test 1	73.6ksi				
Elongation test 1	23%				

The Following is true of the material represented by this MTR:
 *Material is fully killed and is Hot Rolled Steel
 *100% melted, rolled, and manufactured in the USA
 *EN10204:2004 3.1 compliant
 *Contains no weld repair
 *Contains no Mercury contamination
 *Manufactured in accordance with the latest version of the plant quality manual
 *Meets the "Buy America" requirements of 23 CFR635.410, 49 CFR 661
 *Warning: This product can expose you to chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

REMARKS :