

Sold To: SUPERIOR SUPPLY & STEEL  
 PO BOX 2388  
 SULPHUR, LA 70664 US

Ship To: SUPERIOR SUPPLY  
 318 CITIES SERVICE HWY  
 HWY-108  
 SULPHUR, LA 70663 US

Customer PO	P0255631-01	Sales Order #	11083958 - 6.1
Product Group	Hot Roll - Merchant Bar Quality	Product #	3005275
Grade	A36/A529 Gr 50, CSA 44W/50W	Lot #	110006209120
Size	1.5" x 1.5" x 0.25"	Heat #	1100062091
BOL #	BOL-1967785	Load #	1923244
Description	Hot Roll - Merchant Bar Quality Equal Angle 1 1/2" x 1 1/2" x 1/4" A36/A529 Gr 50, CSA 44W/50W 20' 0" [240"] 2001-6000 lbs	Customer Part #	
Production Date	10/09/2024	Qty Shipped LBS	4867
Product Country Of Origin	United States	Qty Shipped EA	104
Original Item Description		Original Item Number	

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed above and that it satisfies those requirements.

Melt Country of Origin : United States

Melting Date: 09/30/2024

Roll Country of Origin : United States

Rolling Date: 10/09/2024

C (%)	Mn (%)	P (%)	S (%)	Si (%)	Ni (%)	Cr (%)	Mo (%)	Cu (%)	V (%)	Nb (%)
0.13	0.79	0.014	0.016	0.215	0.14	0.16	0.04	0.24	0.035	0.001

Reduction Ratio 56.69 : 1

**Tensile testing**

	Yield (PSI)	Tensile (PSI)	Elongation in 8" (%)
(1)	57200	72900	25.0
(2)	57200	73200	28.0

**Comments:**

MEETS THE REQUIREMENTS OF: ASTM A36/A36M-14; A529/A529-05 GR50(345); A572/572M-07 GR50(345); A709/A709M-10 GR36(250); CSA G40.21-04 GR44W(300W)&GR50W(350W); AASHTO M270/270M-10 GR36(270); ASME SA36/SA36M-10; MEETS REPORTING REQUIREMENTS OF EN10204 SEC 3.1

- All manufacturing processes of the steel, including melting, casting & hot rolling, have been performed in U.S.A
- Mercury not intentionally added at any point during manufacturing or testing of this material.
- Welding or weld repair was not performed on this material.
- This material conforms to the specifications described on this document and may not be reproduced, except in full, without written approval of Nucor Corporation.
- Results reported ASTM E45 (Inclusion content) and ASTM E381 (Macro-etch) are provided as interpretation of ASTM procedures.



Ramon Vigil, Quality Supervisor