## 1UCOR

## Mill Certification 04/11/2022

MTR#:1002392-3 Lot #:110003411121 8812 HWY 79 W Jewett, TX 75846 US 903 626-4461 Fax: 903 626-6290

Customer PO	4500525719	Sales Order #	11042856 - 2.1
Product Group	Hot Roll - Merchant Bar Quality	Product #	3017008
Grade	A36/A529 Gr 50, CSA 44W/50W	Lot #	110003411121
Size	0.5" x 1.5"	Heat #	1100034111
BOL #	BOL-1099633	Load #	1002392
Description	Hot Roll - Merchant Bar Quality Flat 1/2" x 1 1/2" A36/A529 Gr 50, CSA 44W/50W 20' 0" [240"] 2001-6000 lbs	Customer Part #	101611620
Production Date	04/02/2022	Qty Shipped LBS	4900
Product Country Of Origin	United States	Qty Shipped EA	96
Original Item Description		Original Item Number	

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed above and that it satisfies those requirements.

Melt Country of Origin : United States								Melting Date: 03/31/2022				22
	<u>C (%)</u>	<u>Mn (%)</u>	<u>P (%)</u>	<u>S (%)</u>	<u>Si (%)</u>	<u>Ni (%)</u>	<u>Cr (%)</u>	<u>Mo (%)</u>	<u>Cu (%)</u>	<u>V (%)</u>	<u>Nb (%)</u>	
	0.12	0.85	0.019	0.018	0.209	0.12	0.23	0.04	0.40	0.031	0.001	
Reduction Ra		: 1										
	Y	Yield (PSI) Tensile (PSI)		Elongation in 8" (%)								
(1)		55800	72600		26.0							

## Comments:

(2)

MEETS THE REQUIREMENTS OF: ASTM A36/A36M-14; A529/A529-05 GR50(345); A572/572M-07 GR50(345); A709/A709M-10 GR36(250); CSA G40.21-04 GR44W(300W)&GR50W(350W); AASHTO M270/270M-10 GR36(270); ASME SA36/SA36M-10; MEETS REPORTING REQUIREMENTS OF EN10204 SEC 3.1

1. All manufacturing processes of the steel, including melting, casting & hot rolling, have been performed in U.S.A

2. Mercury not intentionally added at any point during manufacturing or testing of this material.

73200

3. Welding or weld repair was not performed on this material.

56000

4. This material conforms to the specifications described on this document and may not be reproduced, except in full, without written approval of Nucor Corporation.

5. Results reported ASTM E45 (Inclusion content) and ASTM E381 (Macro-etch) are provided as interpretation of ASTM procedures.

26.0