

Atlas Tube Alabama  
 171 Cleage Dr  
 Birmingham Alabama USA  
 35217  
 Tel:  
 Fax:



REF.B/L: 81107632  
 Date: 08/31/2022  
 Customer: 1592

Material: 1.5x1.5x120x20'0"0(8x8).A513 Material No: 0150151202000-A513 Made in: USA  
 Melted and Poured in: USA  
 Sales Order: 1823569 Purchase Order: P0235744-11 Cust Material#: 982024200

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
NM3687	0.050	0.410	0.006	0.002	0.024	0.027	0.120	0.000	0.010	0.040	0.040	0.002	0.001	0.0000	0.0060	0.0030
<u>Bundle No</u>	<u>PCs</u>	<u>Yield</u>	<u>Tensile</u>	<u>Eln.2in</u>	<u>Certification</u>											
MC00182386	64	000000 Psi	000000 Psi	%	ASTM A513, TYPE 1											
<u>Heat</u>	<u>MILL</u>	<u>Mill Location</u>	<u>Method</u>	<u>Recycled Content</u>	<u>Post Consumer</u>	<u>Pre-Consumer (Post Industrial)</u>	<u>% Harvested</u>	<u>Within Miles of Location</u>								
NM3687	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500								

Material Note:  
 Sales Or. Note:

Material: 1.5x1.5x120x20'0"0(8x8).A513 Material No: 0150151202000-A513 Made in: USA  
 Melted and Poured in: USA  
 Sales Order: 1823569 Purchase Order: P0235744-11 Cust Material#: 982024200

Heat No	C	Mn	P	S	Si	Al	Cu	Cb	Mo	Ni	Cr	V	Ti	B	N	Ca
NM3687	0.050	0.410	0.006	0.002	0.024	0.027	0.120	0.000	0.010	0.040	0.040	0.002	0.001	0.0000	0.0060	0.0030
<u>Bundle No</u>	<u>PCs</u>	<u>Yield</u>	<u>Tensile</u>	<u>Eln.2in</u>	<u>Certification</u>											
MC00182385	64	000000 Psi	000000 Psi	%	ASTM A513, TYPE 1											
<u>Heat</u>	<u>MILL</u>	<u>Mill Location</u>	<u>Method</u>	<u>Recycled Content</u>	<u>Post Consumer</u>	<u>Pre-Consumer (Post Industrial)</u>	<u>% Harvested</u>	<u>Within Miles of Location</u>								
NM3687	NUCOR	Decatur,AL	EAF	53.70%	23.80%	29.90%	86%	500								

Material Note:  
 Sales Or. Note:

Authorized by Quality Assurance: *Jason Richard*  
**Jason Richard**

The results reported on this report represent the actual attributes of the material furnished and indicate full compliance with all applicable specification and contract requirements. CE calculated using the AWS D1.1 method. This document is in compliance with the requirements of EN 10204 type 3.1

