

Mill Certification

12/12/2023

MTR#:1551234-9 Lot #:110005326561 8812 HWY 79 W

Jewett, TX 75846 US 903 626-4461 Fax: 903 626-6290

Sold To:

SUPERIOR SUPPLY & STEEL

PO BOX 2388

SULPHUR, LA 70664 US

Ship To:

SUPERIOR SUPPLY 318 CITIES SERVICE HWY

HWY-108

SULPHUR, LA 70663 US

Customer PO	P0245378-01	Sales Order #	11066460 - 8.1
Product Group	Hot Roll - Merchant Bar Quality	Product #	3005839
Grade	A36/A529 Gr 50, CSA 44W/50W	Lot #	110005326561
Size	2.5" x 2.5" x 0.375"	Heat #	1100053265
BOL#	BOL-1597480	Load #	1551234
Description	Hot Roll - Merchant Bar Quality Equal Angle 2 1/2" x 2 1/2" x 3/8" A36/A529 Gr 50, CSA 44W/50W 20' 0" [240"] 2001-6000 lbs	Customer Part #	
Production Date	11/20/2023	Qty Shipped LBS	4956
Product Country Of Origin	United States	Qty Shipped EA	42
Original Item Description		Original Item Number	

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed above and that it satisfies those requirements.

t notice, country trust the same and the sam	 	
Melt Country of Origin : United States		Melting Date: 11/13/2023
Mell Country of Origin . Office States		

C (%)	Mn (%)	P (%)	S (%)	SI (%)	Ni (%)	Cr (%)	Mo (%)	<u>Cu (%)</u>	<u>V (%)</u>	Nb (%)
0.12	0.85	0.017	0.014	0.217	0.15	0.24	0.04	0.28	0.041	0.001

Reduction Ratio 22.48:1

Tensile testina

	Yield (PSI)	Tensile (PSI)	Elongation in 8" (%)
(1)	56800	73400	25.0
(2)	56500	73300	25.0

Comments:

MEETS THE REQUIREMENTS OF: ASTM A36/A36M-14; A529/A529-05 GR50(345); A572/572M-07 GR50(345); A709/A709M-10 GR36(250); CSA G40.21-04 GR44W(300W)&GR50W(350W); AASHTO M270/270M-10 GR36(270); ASME SA36/SA36M-10; MEETS REPORTING REQUIREMENTS OF EN10204 SEC 3.1

- 1. All manufacturing processes of the steel, including melting, casting & hot rolling, have been performed in U.S.A
- 2. Mercury not intentionally added at any point during manufacturing or testing of this material.
- 3. Welding or weld repair was not performed on this material.
- 4. This material conforms to the specifications described on this document and may not be reproduced, except in full, without written approval of Nucor Corporation.
- 5. Results reported ASTM E45 (Inclusion content) and ASTM E381 (Macro-etch) are provided as interpretation of ASTM procedures.