



SERVICE STEEL WAREHOUSE CO., L.P.

P.O. BOX 9607
 HOUSTON, TEXAS 77213
 (713) 675-2631

ORDER NO.
 A775318
 Reprint 1



01:13AM 07/29/23
SALES ORDER

S O L D T O	191750 SENTRY SUPPLY dba SUPERIOR SUPPLY & STEEL 318 S. CITIES SERVICE HWY. SULPHUR, LA 70663	S H I P T O	SUPERIOR SUPPLY & STEEL 318 S CITIES SERVICE HWY SULPHUR, LA 70663
----------------------------	---	----------------------------	--

Map Coordinates:

CUSTOMER ORDER NO.	ORDER DATE	DATE REQ.	SHIP DATE	CARRIER	SALES ID
P0243096-01	07/28/23	07/29/23	7/29/23		42

LINE	QTY. SHIP	QTY. B/O	ITEM NO.	DESCRIPTION	TOTAL	UOM
1	4		F018035C	EMAIL A COPY OF THE PACKING SLIP AND MTRS TO mtr@supstl.com 3/16X3-1/2" 20' HR FLATS CQ	178	LB
AP AMANDA					Ord Wgt: 178	
RTS						



SERVICE STEEL WAREHOUSE CO., L.P.

P.O. BOX 9607
 HOUSTON, TEXAS 77213
 (713) 675-2631

ORDER NO.

A775318

Reprint 1



01:13AM 07/29/23

SALES ORDER

S
O
L
D

T
O

191750
 SENTRY SUPPLY dba
 SUPERIOR SUPPLY & STEEL
 318 S. CITIES SERVICE HWY.
 SULPHUR, LA 70663

S
H
I
P

T
O

SUPERIOR SUPPLY & STEEL
 318 S CITIES SERVICE HWY
 SULPHUR, LA 70663

Map Coordinates:

CUSTOMER ORDER NO.	ORDER DATE	DATE REQ.	SHIP DATE	CARRIER	SALES ID
PO243096-01	07/28/23	07/29/23	7/29/23		42

LINE	QTY. SHIP	QTY. B/O	ITEM NO.	DESCRIPTION	TOTAL	UOM
1	4		F0180350	EMAIL A COPY OF THE PACKING SLIP AND MTRS TO mtr@supstl.com 3/16X3-1/2" 20' HR FLATS CO	178	B

THIS SALES ORDER IS MADE STRICTLY SUBJECT TO THE TERMS AND CONDITIONS STATED ON THE REVERSE SIDE HEREOF BY ACCEPTING THE GOODS COVERED HEREBY YOU ACKNOWLEDGE THAT YOU UNDERSTAND ALL OF SUCH TERMS AND CONDITIONS AND AGREE TO BE BOUND THEREBY.

178



Steel Dynamics Southwest, LLC
8534 Hwy 89
Sinton, TX 78387 United States
Telephone (361) 424-6200

Metallurgical Certification

Cert # 107981 - Cert/Ship Date : 04/27/2023 12:57



Contact					
Ship To					
Contact					
Sold To					
Length	1,615 ft	Width	48.0000 in	Chem Treat	No
Weight (A)	48,089 lb	Gauge	0.1800 in Nom	Oiled	No


Coil #	23B167323	Coil Alias	
Order #	106331	Heat #	A2312020
Line Item #	4	PO #	PO-00172331 - 4
Part #	C188M48A		
Alt Part #			
Material Spec.	ASTM A36 conversion to - 19		
Product Desc.	Prime Hot Rolled Band		
Cert Comment	Conversion to - meets chemistry requirements additional testing required		
Surface Treatment			

Ladle Chemical Analysis (%)

C	Mn	P	S	Si	Al	Cu	Ni	Cr	Mo	Sn	N	V	Nb	Ti	B	Ca	Pb	Zr
0.20	0.43	0.005	0.003	0.03	0.030	0.12	0.04	0.04	0.02	0.005	0.010	0.004	0.002	0.001	0.0000	0.002	0.000	

Mechanical Properties (if applicable)

Sample 1	English	Metric
Sample Location	Tail	
Tensile Direction	Transverse	
Testing Standard	ASTME	
Cert Mode	Heat	
YieldStrength	56.6 KSI	390.2 MPa
TensileStrength	75.7 KSI	521.9 MPa
TotalElongation	25 %	



Shipped from Sinton, TX, USA

Melted, thin slab cast and rolled by proud Americans in Sinton, TX, USA.

SDI does not weld or repair Prime Hot Rolled Band products.

All tests were performed according to applicable standards and are correct as contained in the records of the company.