

Sold To: SUPERIOR SUPPLY & STEEL
 PO BOX 2388
 SULPHUR, LA 70664 US

Ship To: SUPERIOR SUPPLY
 318 CITIES SERVICE HWY
 HWY-108
 SULPHUR, LA 70663 US

Customer PO	P0245378-01	Sales Order #	11066460 - 10.1
Product Group	Hot Roll - Merchant Bar Quality	Product #	3005955
Grade	Nucor Multigrade	Lot #	110005314860
Size	3" x 3" x 0.25"	Heat #	1100053148
BOL #	BOL-1615776	Load #	1569110
Description	Hot Roll - Merchant Bar Quality Equal Angle 3" x 3" x 1/4" Nucor Multigrade 20' 0" [240"] 4001-6000 lbs	Customer Part #	
Production Date	11/15/2023	Qty Shipped LBS	4802
Product Country Of Origin	United States	Qty Shipped EA	49
Original Item Description		Original Item Number	

I hereby certify that the material described herein has been manufactured in accordance with the specifications and standards listed above and that it satisfies those requirements.

Melt Country of Origin : United States

Melting Date: 11/10/2023

C (%)	Mn (%)	P (%)	S (%)	Si (%)	Ni (%)	Cr (%)	Mo (%)	Cu (%)	Ti (%)	V (%)	Nb (%)
0.12	0.85	0.012	0.025	0.223	0.11	0.14	0.03	0.28	0.001	0.037	0.002

Sn (%)

0.010

ASTM A529 S78.2 CE (%) : 0.37

Tensile testing

	Yield (PSI)	Tensile (PSI)	Elongation in 8" (%)
(1)	54500	70800	23.0
(2)	55300	71200	26.0

Comments:

NUCOR MULTIGRADE MEETS THE REQUIREMENTS OF: ASTM A36/A36M-14; A529/529M-19 GR50(345); A572/572M-18 GR50(345); A709/709M-10 GR36(250) & GR50(345); CSA G40.21-04 GR44W(300W)& GR50W(350W); AASHTO M270/M270M-10 GR36(270) & GR50(345); ASME SA36/SA36M-07; MEETS REPORTING REQUIREMENTS OF EN10204 SEC 3.1

- All manufacturing processes of the steel, including melting, casting & hot rolling, have been performed in U.S.A
- Mercury not intentionally added at any point during manufacturing or testing of this material.
- Welding or weld repair was not performed on this material.
- This material conforms to the specifications described on this document and may not be reproduced, except in full, without written approval of Nucor Corporation.
- Results reported ASTM E45 (Inclusion content) and ASTM E381 (Macro-etch) are provided as interpretation of ASTM procedures.

